



Powered Access Services



› Scissors › Booms › Telehandlers › Training





› Midlands

Powered Access Services
 Beveridge Lane, Ellistown, Coalville
 Leicestershire, LE67 1FB
headoffice@poweredaccessservices.co.uk

Tel: 01530 264242
Fax: 01530 264126

› South of England

Powered Access Services
 40 Burrow Fields, Welwyn Garden City
 Hertfordshire, AL7 4SR
london@poweredaccessservices.co.uk

Tel: 01707 335300
Fax: 01707 335330

› Scotland

Powered Access Services
 Middleton Depot, Lochlibo Road
 Beith, Ayrshire, KA15 1HZ
scotland@poweredaccessservices.co.uk

Tel: 01505 850150
Fax: 01505 850120

› Introduction to PAS

Powered Access Services is a leading UK rental company with three strategically located depots in the Midlands, South and Scotland. We have a wide range of scissors and booms available for hire – suitable for work indoors or outdoors and with a choice of power source - but we never forget that safety is both our and your number one priority.

Not sure which machine is best for you?

Why not use our free survey for your piece of mind?

Contact us and we'll ensure you get the right machine for the job!

› Machine Sales

With links to all of the leading manufacturers across the globe we can supply Powered Access Equipment at great prices and with our replacement programme, PAS has a good supply of our own used platforms available.

› Service

We can provide advice and information enabling to you work at height safely and with a team of mobile engineers we're always on hand to support your Powered Access needs. All of our machines are regularly checked and maintained by our team of experienced engineers before you take delivery, on our modern fleet of specialist lorries

We can also provide servicing, inspection and maintenance agreements on your existing owned equipment.

› Training

PAS offer IPAF approved Operator Training courses on site or at our own purpose built facility. **Contact us for further details.**



› Electric Scissor

from 7.6 metres - 14.2 metres

Pages 5-9

› Diesel/Electric Booms

from 11 metres - 43.2 metres

Page 10-15

› Diesel Scissors

from 9.8 metres - 34 metres

Page 16-22

› Telehandlers

from 12 metres - 17 metres

Page 23

› Depot Maps

Page 24

› Machine Index

Page 25




Electric scissor

› GS1932



- › Working height 7.79m
- › Working outreach 0.91m
- › Platform capacity 227kg
- › Working width 0.74m
- › Width x length 0.81m x 1.83m
- › Stowed height 1.75m
- › Weight 1,498kg




up to 7.79m working height


All dimensions shown in metres

Electric scissor

› SJ3219



- › Working height 7.80m
- › Working outreach 0.90m
- › Platform capacity 227kg
- › Working width 0.71m
- › Width x length 0.81m x 1.78m
- › Stowed height 2.11m
- › Weight 1,170kg




up to 7.80m working height

Electric scissor

▶ GS2032



- › Working height 8.10m
- › Working outreach 0.91m
- › Platform capacity 363kg
- › Working width 0.81m
- › Width x length 0.81m x 2.44m
- › Stowed height 1.78m
- › Weight 1,825kg



up to 8.10m working height


All dimensions shown in metres

Electric scissor

▶ GS2646



- › Working height 9.90m
- › Working outreach 0.91m
- › Platform capacity 454kg
- › Working width 1.15m
- › Width x length 1.17m x 2.41m
- › Stowed height 1.68m
- › Weight 2,447kg



up to 9.90m working height

*Model shown is GS3246


All dimensions shown in metres

Electric scissor

▶ SJ3226



- › Working height 9.90m
- › Working outreach 0.90m
- › Platform capacity 227kg
- › Working width 0.70m
- › Width x length 0.80m x 2.32m
- › Stowed height 1.80m
- › Weight 1,876kg



up to 9.90m working height


6 www.poweredaccessservices.co.uk

Electric scissor

▶ SJ4626



- › Working height 9.90m
- › Working outreach 1.20m
- › Platform capacity 386kg
- › Working width 1.07m
- › Width x length 1.17m x 2.32m
- › Stowed height 2.32m
- › Weight 2,200kg



up to 9.90m working height


www.poweredaccessservices.co.uk

Electric scissor

▶ GS3246



- › Working height 11.75m
- › Working outreach 0.91m
- › Platform capacity 318kg
- › Working width 1.15m
- › Width x length 1.17m x 2.41m
- › Stowed height 1.80m
- › Weight 2,812kg



up to 11.75m working height


All dimensions shown in metres

Electric scissor

▶ JLG 3369



- › Working height 12.06m
- › Working outreach 0.91m
- › Platform capacity 454kg
- › Working width 1.75
- › Width x length 1.75m x 3.10m
- › Stowed height 2.74m
- › Weight 4,600kg



up to 12.06m working height


All dimensions shown in metres

Electric scissor

▶ SJ4632



- › Working height 11.80m
- › Working outreach 1.20m
- › Platform capacity 318kg
- › Working width 1.10m
- › Width x length 1.20m x 2.32m
- › Stowed height 2.20m
- › Weight 2,302kg



up to 11.8m working height


All dimensions shown in metres

Electric scissor

▶ JLG 4069



- › Working height 14.19m
- › Working outreach 0.91m
- › Platform capacity 360kg
- › Working width 1.75m
- › Width x length 1.75m x 3.10m
- › Stowed height 2.81m
- › Weight 5,300kg



up to 14.19m working height


All dimensions shown in metres

Electric boom

▶ Z30 / 20N RJ



- › Working height 11.14m
- › Working outreach 6.53m
- › Platform capacity 227kg
- › Working width 1.17m
- › Width x length 1.19m x 5.11m
- › Stowed height 2.0m
- › Weight 6,450kg




All dimensions shown in metres

Electric boom

▶ Z45 / 25J



- › Working height 15.92m
- › Working outreach 7.65m
- › Platform capacity 227kg
- › Working width 1.83m
- › Width x length 1.79m x 6.83m
- › Stowed height 2.0m
- › Weight 7,394kg




All dimensions shown in metres

Diesel/Electric boom

▶ Z34 / 22



- › Working height 12.52m
- › Working outreach 6.78m
- › Platform capacity 227kg
- › Working width 1.42m
- › Width x length 1.47m x 5.72m
- › Stowed height 2.26m
- › Weight 5,171kg




All dimensions shown in metres

Electric boom

▶ M600JP (JLG)



- › Working height 20.40m
- › Working outreach 13.54m
- › Platform capacity 227kg
- › Working width 1.83m
- › Width x length 2.42m x 10.16m
- › Stowed height 2.54m
- › Weight 7,756kg




All dimensions shown in metres

Diesel boom

▶ Z45 / 25J RT



- › Working height 16.07m
- › Working outreach 7.65m
- › Platform capacity 227kg
- › Working width 1.83m
- › Width x length 2.29m x 6.83m
- › Stowed height 2.11m
- › Weight 6,577kg



up to 16.07m working height


All dimensions shown in metres

Diesel boom

▶ Z80 / 60



- › Working height 26.38m
- › Working outreach 18.28m
- › Platform capacity 227kg
- › Working width 2.44m
- › Width x length 2.49m x 11.27m
- › Stowed height 3.0m
- › Weight 17,010kg



up to 26.38m working height


All dimensions shown in metres

Diesel boom

▶ Z60 / 34



- › Working height 20.39m
- › Working outreach 11.05m
- › Platform capacity 227kg
- › Working width 2.44m
- › Width x length 2.46m x 8.15m
- › Stowed height 2.69m
- › Weight 10,215kg



up to 20.39m working height


All dimensions shown in metres

Diesel boom

▶ Z135 / 70



- › Working height 43.15m
- › Working outreach 21.26m
- › Platform capacity 272kg
- › Working width 2.44m
- › Width x length 3.94m x 12.93m
- › Stowed height 3.07m
- › Weight 20,366kg



up to 43.15m working height


All dimensions shown in metres

Diesel boom

► S-45



- › Working height 15.72m
- › Working outreach 11.18m
- › Platform capacity 227kg
- › Working width 1.83m
- › Width x length 2.30m x 8.48m
- › Stowed height 2.49m
- › Weight 6,709kg




All dimensions shown in metres

Diesel boom

► S-85



- › Working height 27.90m
- › Working outreach 23.60m
- › Platform capacity 227kg
- › Working width 2.44m
- › Width x length 3.07m x 12.37m
- › Stowed height 2.80m
- › Weight 16,198kg




All dimensions shown in metres

Diesel boom

► S-65



- › Working height 21.80m
- › Working outreach 17.10m
- › Platform capacity 227kg
- › Working width 2.44m
- › Width x length 2.49m x 9.50m
- › Stowed height 2.72m
- › Weight 10,102kg




14 www.poweredaccessservices.co.uk

Diesel boom

► S-125



- › Working height 40.15m
- › Working outreach 24.38m
- › Platform capacity 227kg
- › Working width 2.44m
- › Width x length 3.35m x 14.25m
- › Stowed height 3.07m
- › Weight 20,248kg



www.poweredaccessservices.co.uk

15

Have you thought about?

› Wheel Covers



› Safety Harnesses




Contact your local depot for pricing.

› Scotland 01505 850150
› South 01707 335300

› Midlands 01530 264242



- › Working height 10m
- › Working outreach n/a
- › Platform capacity 680kg
- › Working width 2.13m
- › Width x length 2.13m x 3.79m
- › Stowed height 2.55m
- › Weight 2,853kg




up to 10m working height

All dimensions shown in metres



- › Working height 9.92m
- › Working outreach 1.22m
- › Platform capacity 567kg
- › Working width 1.55m
- › Width x length 1.73m x 2.67m
- › Stowed height 2.32m
- › Weight 3,072kg




up to 9.92m working height

All dimensions shown in metres



- › Working height 11m
- › Working outreach n/a
- › Platform capacity 590kg
- › Working width 2.13m
- › Width x length 2.13m x 4.39m
- › Stowed height 2.60m
- › Weight 2,967kg



up to 11m working height


www.poweredaccessservices.co.uk

Diesel scissor

▶ GS3268 rt



- › Working height 11.75m
- › Working outreach 1.22m
- › Platform capacity 454kg
- › Working width 1.55m
- › Width x length 1.73m x 2.51m
- › Stowed height 2.45m
- › Weight 3,762kg



up to 11.75m working height


All dimensions shown in metres

Diesel scissor

▶ SJ7135



- › Working height 12.70m
- › Working outreach 1.40m
- › Platform capacity 454kg
- › Working width 1.60m
- › Width x length 1.82m x 3.30m
- › Stowed height 2.86m
- › Weight 4,392kg



up to 12.70m working height


All dimensions shown in metres

Diesel scissor

▶ SJ 6832 rt



- › Working height 11.80m
- › Working outreach 1.5m
- › Platform capacity 454kg
- › Working width 1.40m
- › Width x length 1.70m x 2.70m
- › Stowed height 2.50m
- › Weight 2,700kg



up to 11.8m working height


All dimensions shown in metres

Diesel scissor

▶ GS3384



- › Working height 12.06m
- › Working outreach 1.52m x 1.22m
- › Platform capacity 1134kg
- › Working width 183m
- › Width x length 2.13m x 4.88m
- › Stowed height 2.68m
- › Weight 7,040kg



up to 12.06m working height


All dimensions shown in metres

Diesel scissor

▶ SJ8841



- › Working height 14.50m
- › Working outreach 1.60m
- › Platform capacity 680kg
- › Working width 1.70m
- › Width x length 2.21m x 3.40m
- › Stowed height 2.89m
- › Weight 5,325kg



up to 14.50m working height


All dimensions shown in metres

Diesel scissor

▶ SJ9250



- › Working height 17.20m
- › Working outreach 1.5m
- › Platform capacity 908kg
- › Working width 2.34m
- › Width x length 2.34m x 4.50m
- › Stowed height 2.30m
- › Weight 6,818kg



up to 17.20m working height


All dimensions shown in metres

Diesel scissor

▶ GS4390



- › Working height 15.11m
- › Working outreach 1.52m x 1.22m
- › Platform capacity 680kg
- › Working width 1.83m
- › Width x length 2.29m x 4.88m
- › Stowed height 2.93m
- › Weight 7,040kg



up to 15.11m working height


All dimensions shown in metres

Diesel scissor

▶ GS5390



- › Working height 18.15m
- › Working outreach 1.52m x 1.22m
- › Platform capacity 680kg
- › Working width 1.83m
- › Width x length 2.29m x 4.88m
- › Stowed height 3.15m
- › Weight 7,827kg



up to 18.15m working height


All dimensions shown in metres

Diesel scissor

▶ SL205 / 25



- › Working height 22.50m
- › Working outreach 2.20
- › Platform capacity 1000kg
- › Working width 2.25m
- › Width x length 2.55m x 5.75m
- › Stowed height 3.0m
- › Weight 14,800kg



up to 22.50m working height


All dimensions shown in metres

Telehandler

▶ GTH3512



- › Working height 12.12m
- › Max lift capacity 3500kg
- › Max height lift capacity 2500kg
- › Max reach lift capacity 1000kg
- › Max forward reach 8.53m
- › Reach at max height 1.17m
- › Weight 9,000kg



up to 12.12m working height


All dimensions shown in metres

Diesel scissor

▶ SL320 / 30



- › Working height 34m
- › Working outreach 3.25
- › Platform capacity 1400kg
- › Working width 3m
- › Width x length 3m x 8.84m
- › Stowed height 3.50m
- › Weight 39,800kg



up to 34m working height


All dimensions shown in metres

Telehandler

▶ GTH4017



- › Working height 16.73m
- › Max lift capacity 4000kg
- › Max height lift capacity 2500kg
- › Max reach lift capacity 700kg
- › Max forward reach 12.44m
- › Reach at max height 1.28m
- › Weight 11,900kg



up to 16.73m working height

All dimensions shown in metres


PAS offer coverage across most of the UK from our three depots



Scotland

Powered Access Services
Middleton Depot
Lochlibo Road
Beith
Ayrshire
KA15 1HZ

Telephone: 01505 850150
Fax: 01505 850120



Midlands

Powered Access Services
Beveridge Lane
Ellistown
Coalville
Leicestershire
LE67 1FB

Telephone: 01530 264242
Fax: 01530 264126



South

Powered Access Services
40 Burrow Fields
Welwyn
Garden City
Hertfordshire
AL7 4SR

Telephone: 01707 335300
Fax: 01707 335330

Machine	Type	Working Height	Working Outreach	Page
GS1932	Electric Scissor	7.79m	0.91m	5
SJ3219	Electric Scissor	7.80m	0.90m	5
GS2032	Electric Scissor	8.10m	0.91m	6
SJ3226	Electric Scissor	9.90m	0.90m	6
GS2646	Electric Scissor	9.92m	0.91m	7
SJ4626	Electric Scissor	9.90m	1.20m	7
GS3246	Electric Scissor	11.75m	0.91m	8
SJ4632	Electric Scissor	11.80m	1.20m	8
JLG3369	Electric Scissor	12.06m	0.91m	9
JLG4069	Electric Scissor	14.19m	0.91m	9
Z30/20	Electric Boom	11.14m	6.53m	10
Z34/22	Diesel/Electric Boom	12.52m	7.78m	10
Z45/25J	Electric Boom	15.92m	7.65m	11
JLG M600 JP	Electric Boom	20.40m	13.54m	11
Z45/25J RT	Diesel Boom	16.07m	7.65m	12
Z60/34	Diesel Boom	20.39m	11.05m	12
Z80/60	Diesel Boom	26.38m	21.26m	13
Z135/70	Diesel Boom	43.15m	18.03m	13
S-45	Diesel Boom	15.72m	9.65m	14
S-65	Diesel Boom	21.80m	17.10m	14
S-85	Diesel Boom	27.90m	23.60m	15
S-125	Diesel Boom	40.15m	24.38m	15
GS2668RT	Diesel Scissor	9.92m	1.5m	16
SL26	Diesel Scissor	10m	n/a	17
SL30	Diesel Scissor	11m	n/a	17
GS3268RT	Diesel Scissor	11.75m	1.22m	18
SJ6832RT	Diesel Scissor	11.80m	0.90m	18
SJ7135	Diesel Scissor	12.70m	1.40m	19
GS3384	Diesel Scissor	12.06m	1.52m x 1.22m	19
SJ8841	Diesel Scissor	14.50m	1.60m	20
GS4390	Diesel Scissor	15.11m	1.52m x 1.22m	20
SJ9250	Diesel Scissor	17.20m	1.5m	21
GS5390	Diesel Scissor	18.15m	1.52m x 1.22m	21
SL205/25	Diesel Scissor	22.50m	2.20m	22
SL320/30	Diesel Scissor	34m	3.25m	22
GTH3512	Telehandler	12.12m	8.53m	23
GTH40/17	Telehandler	16.73m	12.44m	23



www.poweredaccessservices.co.uk

Yardbourne Ltd trading as Powered Access Services

› **Head Office**

Powered Access Services
Beveridge Lane, Ellistown,
Coalville, Leicestershire, LE67 1FB

Tel: 01530 264242

Fax: 01530 264126

› PAS South of England

Tel: 01707 335300

› PAS Scotland

Tel: 01505 850150

› **Scissors** › **Booms** › **Telehandlers** › **Training**

